

5

# INDEX MAPS.

## T. 21N, R. 4W. 2<sup>nd</sup> Mer.

	375		375		375		374		374		374	
376	6	393	5	389	4	386	3	383	2	380	1	374
	393		392		388		385		383		379	
376	7	392	8	388	9	385	10	382	11	379	12	373
	392		392		388		385		382		379	
376	18	391	17	387	16	385	15	382	14	378	13	373
	391		391		387		384		381		378	
376	19	390	20	387	21	384	22	381	23	378	24	373
	390		390		387		384		381		377	
375	30	390	29	386	28	384	27	381	26	377	25	372
	389		389		386		384		380		377	
375	31	389	32	386	33	383	34	380	35	376	36	372
	372		372		371		371		371		371	

## T. 22N, R. 4W. 2<sup>nd</sup> Mer.

	398		398		398		398		397		397	
400	6	421	5	415	4	411	3	407	2	404	1	397
	420		420		415		411		407		403	
400	7	420	8	414	9	411	10	407	11	403	12	397
	419		419		414		410		407		403	
400	18	419	17	414	16	410	15	406	14	403	13	397
	418		418		413		410		406		402	
399	19	418	20	413	21	409	22	406	23	402	24	397
	417		417		413		409		405		402	
399	30	417	29	412	28	408	27	405	26	401	25	396
	416		416		412		408		404		401	
399	31	415	32	412	33	408	34	404	35	401	36	396
	396		396		396		395		395		395	

The figures on the lines refer to the page.

395

Township N. 22 North, Range N. 24 West 2. Mer. Ind.

### Township Lines.

Ch. Ch. South Boundary. Var. 6.10' E.

Bearings at cor. of Sec. 22 N, R. 24 W.

a Hickory 10 in. diameter N 10 E 25 lbs. ditto

a Do 30 " " " S 40 E 27 " "

West on the S. Boundary of Sec. 30

40.00 cut of sec. post from which

a W. Oak 30 in. diameter S 70 E 33 lbs. ditto

a Do 20 " " " N 65 E 24 " "

80.00 cut post cor. of sec. 35 & 36 from which

a W. Oak 30 in. diameter N 68 E 23 lbs. ditto

an Elm 9 " " " S 32 E 18 " "

Good level Oak land

---

West on the S. Boundary of Sec. 35

2.00 a Brook 5 lbs. wide course N W

35.00 enter Prairie

39.50 a Creek 30 lbs. wide course N

40.00 cut of sec. post from which

a Sycamore 9 in. diameter N 19 1/2 E 93 lbs. ditto.

(no other Bearing tree)

45.00 passed Prairie

80.00 cut post cor. of sec. 34 & 35 from which

a W. Oak 12 in. diameter S 67 W 14 lbs. ditto

a Do 24 " " " N 16 E 35 " "

Land &c. same as on the last mile

---

West on the S. Boundary of Sec. 34

39.50 enter Prairie

40.00 cut of sec. post from which

a Hickory 12 in. diameter S 25 E 52 lbs. ditto

a Do 24 " " " East 32 " "

80.00 cut post cor. of sec. 33 & 34 from which no Bearings)

in Prairie & made a Mound -

Prairie dry & rich.

---

## T. 22 N., R. 4 W. 2. Mer. Ind. a

Chk. Chk.

West on the S. Boundary of Sec. 33

40.00 set of sec. post &amp; made a mound

80.00 set post cor. of sec. 32 & 33 & made a mound  
Land T. rate

West on the S. Boundary of Sec. 32

40.00 set of sec. post in Prairie &amp; made a mound

80.00 set post cor. of sec. 31 & 32 in Prairie & made  
a mound — Land T. rate —

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Cherry 12 in. diameter N 5 1/2° W 644 lbs. dist.  
(no other Bearing tree)

70.00 a Brook 20 lbs. wide course N 0

82.21 Intersect Range line 436 lbs. S. of temp. Towns.  
corner — set post at intersection cor. of T. 21 & 22

N, R. 4 &amp; 5° W. from which

a W. Oak 30 in. diameter N 44° W 535 lbs. dist. &amp;

a Do 30 " " " N 8 1/2° E 619 " "

Land T. rate

## East Boundary. Van. 6. 10. E.

North on the E. Boundary of Sec. 36

November 10, 1819

40.00 set of sec. post from which

an Elm 15 in. diameter S 43° W 37 lbs. dist. &amp;

a B. Oak 27 " " " N 09° E 32 " "

80.00 set post cor. of sec. 25 &amp; 36 from which

an Oak 15 in. diameter S 10° W 46 lbs. dist. &amp;

a Hackberry 24 " " " N 20° E 45 " "

Land T. rate, good timber

North on the E. Boundary of Sec. 25

2.00 enter Prairie

40.00 set of sec. post in Prairie &amp; made a mound

T. 22 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Exp. Exp.

80.00 set post cor. of sec. 24 & 25 in Prairie & made a  
 Mound — Land 1<sup>st</sup> rate —

---

North on the E. Boundary of Sec. 24

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cor. of sec. 13 & 24 in Prairie & made  
 a Mound — Land 1<sup>st</sup> rate —

---

North on the E. Boundary of Sec. 13

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cor. of sec. 12 & 13 in Prairie & made  
 a Mound — Land 1<sup>st</sup> rate —

---

North on the E. Boundary of Sec. 12

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cor. of sec. 1 & 12 in Prairie & made  
 a Mound — Land 1<sup>st</sup> rate —

---

North on the E. Boundary of Sec. 1

40.00 set of sec. post in Prairie & made a Mound

76.09 to post cor. of T. 22 & 23, N. 23. 3 & 4 W. in Prairie  
 in a Mound — Land 1<sup>st</sup> rate.

---

North Boundary. Var. 6<sup>th</sup> 06. E.

West on the S. Boundary of Sec. 36, T. 23 N., R. 4 W

40.00 set of sec. post from which

a Hickory 11 in. diameter N 24 1/2° W 27 1/2° lbs. dist 8

an Oak 10 " " " N 54° W 26 1/2° " "

45.00 enter woods

55.00 " Prairie

80.00 set post cor. of sec. 35 & 36 & made a Mound  
 Land 1<sup>st</sup> rate

---

West on the S. Boundary of Sec. 35, T. 23 N., R. 4 W

40.00 set of sec. post from which

a B. Oak 27 in. diameter N 83 1/2° W 47 1/2° lbs. dist.



T. 22 N., R. 4 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. 26<sup>a</sup>

(no other Bearing tree)

45.00 enter bushy barreny woods

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 12 in. diameter S 70 $\frac{1}{2}$  E 198 $\frac{1}{2}$  lbs. dist. 8

a B. Oak 27 $\frac{1}{2}$  " " " N 22 $\frac{1}{2}$  W 80 " "

Land rich & good for farming

West on the S. Boundary of Sec. 34, T 23 N, R 4 W

5.00 enter Prairie

40.00 set q. sec. post in Prairie & made a mound

80.00 set post cor. of sec. 33 & 34 in Prairie & made  
 a mound - First rate Prairie -

West on the S. Boundary of Sec. 33, T 23 N, R 4 W

15.00 enter wood

18.00 " wet Prairie

40.00 set q. sec. post from which

a W. Oak 20 in. diameter S 16 E 28 $\frac{1}{2}$  lbs. dist. 8

a Do 30 " " " N 62 $\frac{1}{2}$  W 43 " "

70.00 enter wood

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 36 in. diameter S 67 $\frac{1}{2}$  W 29 $\frac{1}{2}$  lbs. dist. 8

a Do 27 $\frac{1}{2}$  " " " S 59 $\frac{1}{2}$  W 34 " "

Land rich & good for farming, timber Oak

West on the S. Boundary of Sec. 32, T 23 N, R 4 W

40.00 set q. sec. post from which

a W. Oak 24 in. diameter S 8 E 23 $\frac{1}{2}$  lbs. dist. 8

a Do 30 " " " N 40 E 65 " "

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 9 in. diameter N 14 $\frac{1}{2}$  W 57 $\frac{1}{2}$  lbs. dist. 8

an Oak 27 $\frac{1}{2}$  " " " S 81 $\frac{1}{2}$  W 74 " "

Oak & Hickory land of good quality

West on the S. Boundary of Sec. 31, T 23 N, R 4 W

40.00 set q. sec. post from which

T. 22 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
Ch. Ch.

a S. Oak 30 in. dia. bears N 76 E 42 Ms. dist &  
a W. Oak 18 " " " S 61 W 57 " "  
80.77 Intersect Range line 500 Ms. S. of temp. Towns.  
corner - set post at intersection cor. of T. 22 &  
23 N., R. 4 & 5 W. from which  
a ——— 2 1/2 in. dia. bears North 32 Ms. dist &  
a W. Oak 30 " " " S 76 W 63 " "  
Land of an excellent quality, very level & good  
for farming.

West Boundary, Var. 6<sup>th</sup> 10' E.  
North on the E. Boundary of Sec. 36, T. 22 N., R. 5 W  
November 15, 1819

5.00 enter woods  
40.00 set of sec. post from which  
a B. Oak 36 in. dia. bears N 58 E 55 Ms. dist &  
a S. 15 " " " N 48 W 51 " "  
42.00 enter Prairie  
80.00 set post cor. of sec. 25 & 36 in Prairie & made  
a Mound - Land 1<sup>st</sup> rate -

North on the E. Boundary of Sec. 25, T. 22 N., R. 5 W  
20.00 enter a point of woods  
28.00 " Prairie

40.00 set of sec. post from which  
a Hickory 10 in. dia. bears S. 6<sup>th</sup> 20' W 12.00 Ch. dist.  
La W. Oak 30 " " " N 45 E 43 1/2 Ms. "  
80.00 set post in Prairie cor. of sec. 24 & 25 from which  
an Oak 12 in. dia. in an Island bears N 64 W  
61 1/4 Ms. dist. & an Oak 12 in. dia. bears N 75 W  
59 1/2 Ms. dist. - Land 1<sup>st</sup> rate Prairie

North on the E. Boundary of Sec. 24, T. 22 N., R. 5 W  
40.00 set of sec. post in Prairie & made a Mound  
70.00 enter woods  
80.00 set post cor. of sec. 13 & 24 from which

T. 22 N., R. 4 W. S. Men. Ind. a  
Chs. Sh.

a B. Oak 30 in. diameter S 86° W 100 lbs. dirt 3  
a Do 30 " " " S 54° E 53 " "  
Land T. rate Prairie

North on the E. Boundary of Sec. 13, T. 22 N., R. 5 W  
15.50 a Creek 20 lbs. wide course N W. A good  
mill stream

40.00 lot of sec. part from which  
a W. Oak 30 in. diameter S 14° W 10 lbs. dirt 3  
a Do 27 " " " N 35° W 38 " "

80.00 lot part cor. of Secs. 12 & 13 from which  
a W. Oak 27 in. diameter S 64° E 39 lbs. dirt 3  
a Hickory 9 " " " N 28° W 80 " "  
Level Oaks & Hickory land of a very excellent  
quality.

North on the E. Boundary of Sec. 12, T. 22 N., R. 5 W  
40.00 lot of sec. part from which

a Hickory 8 in. diameter S 30° E 54 lbs. dirt 3  
a W. Oak 30 " " " N 41° W 77 " "

60.00 a beautiful rapid stream 50 lbs. wide, water  
enough for a mill in the lowest stage of water

80.00 lot part cor. of Secs. 1 & 12 from which  
a W. Oak 15 in. diameter S 65° E 144 lbs. dirt 3  
a Do 27 " " " S 61° W 284 " "  
Land same as last noted

North on the E. Boundary of Sec. 1, T. 22 N., R. 5 W  
40.00 lot of sec. part from which

a W. Oak 9 in. diameter S 4° W 50 lbs. dirt 3  
a Hickory 12 " " " N 49° E 22 " "

80.00 lot temp. part for cor. of Townships 22 & 23 N,  
R. 4 & 5 W. Oaks & Hickory land of a  
middling quality. Surveyed in 1819  
by William Harris, D. S.

T. 22 N., R. 4 W. 2. Mer. Ind.<sup>o</sup>.  
Chs. Shs.

### Subdivision.

North between Secs. 35 & 36, T. 22 N., R. 4 W

13.83 a Sugar 10 in. dia.

32.75 a Brook 5 lbs. wide course N W

40.00 set of sec. port from which

a R. Oak 36 in. dia bears S 26 E 37 lbs. dist 3

a Do 24 " " " N 40 W 27 " "

45.85 a Do 20 " "

80.00 set port cen. of sec. 25, 26, 35 & 36 from which

an Ash 20 in. dia bears N 57 E 15 lbs. dist 3

a Spruce 12 " " " S 65 W 64 " "

Sand rolling S. rate, timber R & W. Oak, Hickory  
Gr. Ulp. Hazel, Sassafras &c.

East on Random between Secs. 25 & 36

40.00 set temp. of sec. port

79.18 Intersect E. Boundary 25 lbs. N. of port -

Sand level S. rate, timber as before noted

West Connected between Secs. 25 & 36

39.59 set of sec. port at aver. dist. from which

a Hickory 30 in. dia bears S 4 E 50 lbs. dist 3

a R. Oak 28 " " " N 60 W 64 " "

79.18 to sec. cen.

North between Secs. 25 & 26

5.54 a R. Oak 30 in. dia.

40.00 set of sec. port from which

a W. Oak 30 in. dia bears N 84 W 35 lbs. dist 3

a R. Oak 30 " " " S 20 E 43 " "

49.95 an Ash 15 " "

62.00 enter Prairie

75.00 leave "

80.00 set port cen. of sec. 23, 24, 25 & 26 from which

a R. Oak 24 in. dia bears S 33 E 62 lbs. dist. 3

a R. Oak 24 " " " N 77 W 20 " "



T. 22 N., R. 4 W. E. Mer. Ind.<sup>a</sup>

Elev. Elev.

Land level 2<sup>d</sup> rate, timber B, R. & W. Oak &  
Upr. Hazel &c.

East on Random between Sec. 24 &amp; 25

2.50 enter Prairie

40.00 set temp. g. sec. port

79.25 Intersect E. Boundary 70 lbs. N. of port -

Land rolling 2<sup>d</sup> rate

West Connected between Sec. 24 &amp; 25

39.62 set g. sec. port at av. dist. &amp; raised a Mound

79.25 to sec. en.

North between Sec. 23 &amp; 24

11.89 a Hickory 9 in. dia.

26.00 enter Prairie

40.00 set g. sec. port from which

a B. Oak 24 in. diameter N 4 W 309 lbs. dist.

(no other Bearing tree)

58.00 enter Swamp

62.00 leave "

68.00 enter a small grove of B. Oak timber

74.00 leave the same

80.00 set port en. of sec. 13, 14, 23 &amp; 24 &amp; raised Mound

Land level 2<sup>d</sup> rate Prairie, inclining  
to wet

East on Random between Sec. 13 &amp; 24

40.00 set temp. g. sec. port

79.45 Intersect E. Boundary 58 lbs. N. of port -

Land level 2<sup>d</sup> rate

West Connected between Sec. 13 &amp; 24

39.72 set g. sec. port at av. dist. &amp; raised a Mound

79.45 to sec. en.



T. 22 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>

Chs. 1st?

North between Sec. 13 &amp; 14

40.00 set g. sec. post in Prairie &amp; raised Mound

80.00 set post cor. of sec. 11, 12, 13 & 14 in Prairie  
& raised a Mound

Land rolling S. rate

East on Random between Sec. 12 &amp; 13

40.00 set temp. g. sec. post in Prairie

79.26 Intersect E. Boundary 63 W. N. of post -  
Land level S. rate

West Connected between Sec. 12 &amp; 13

39.63 set g. sec. post at aver. dist. in Prairie, and  
raised a Mound

79.26 to sec. cor.

North between Sec. 11 &amp; 12

40.00 set g. sec. post in Prairie &amp; raised a Mound

45.50 enter Marsh

57.50 leave "

69.50 enter timbered land

80.00 set post cor. of sec. 1, 2, 11 &amp; 12 from which

a B. Oak 20 in. diam. bears S 43° W 154 W. dist. 2

a W. Oak 15 " " " N 33° E 262 " "

Land rolling S. rate

East on Random between Sec. 11 &amp; 12

31.50 enter Prairie

40.00 set temp. g. sec. post

79.70 Intersect E. Boundary 30 W. N. of post -

Land rolling S. rate, timber to Prairie W. B. Oak,  
Hickory & Upr. Hazel &c.

West Connected between Sec. 11 &amp; 12

39.85 set g. sec. post at aver. dist. &amp; raised Mound

79.70 to sec. cor.

## T. 22 N., R. 4 W. 2, Mer. Ind. "

Ch. 26.

North between Sect. 1 &amp; 2

6.50 enter Prairie

19.50 enter Marsh

24.50 leave "

26.00 " Prairie

34.50 enter point of Prairie

40.00 set of sec. part from which

a B. Oak 15 in. diameter N 64 E 275 lbs. dirt 8

a Hickory 8 " " " N 67 W 251 " "

43.00 leave Prairie

46.50 a Hickory 15 in. dia.

52.50 enter Prairie

57.50 " Marsh

63.00 leave "

75.50 Intersect N. Boundary 34 lbs. W. of port -

set port at intersection cor. of sec. 1 & 2 and  
raised a Mound

Land rolling &amp; rate, timber W &amp; B. Oak,

Hickory &amp; Upgrowth Hazel &amp;c.

May 29. 1822

North between Sect. 34 &amp; 35

16.14 a W. Oak 15 in. dia.

40.00 set of sec. part from which

a W. Oak 20 in. diameter S 16 E 45 lbs. dirt 8

a Do 15 " " " " N 84 W 4 " "

55.58 a Do 10 " "

77.50 Wild Cat Creek 40 lbs. wide corner N W

80.00 set port cor. of sec. 26, 27, 34 &amp; 35 from which

a Lycanum 30 in. diameter S 84 W 176 lbs. dirt. 8

a Do 8 " " " " S 88 E 146 " "

Land rolling &amp; rate, timber W &amp; B. Oak,

Hickory &amp;c.

East in Paudon. between Sect. 26 &amp; 35

2.50 enter Prairie

T. 22 N., R. 4 W. 2. Mer. Ind. <sup>4</sup>  
Chs. 1st.

30.00 leave Prairie

40.00 set temp. g. sec. post

79.73 Intercept N. & S. line 20 lbs. S. of post —

Sand level 2. rate, timber W & B. Oak, Wick-  
ery & Upr. Sassafras, Briers &c.

West Corrected between Sect. 26 & 35

39.86 set g. sec. post at aver. dist. from which

a P. Oak 33 in. diam. bears N 3 E 55 lbs. dist. 8

a Hickory 15 " " " S 18 E 30 " "

79.73 to sec. cor.

North between Sect. 26 & 27

17.71 a W. Oak 15 in. dia.

35.00 enter Prairie

40.00 set g. sec. post from which

a Hickory 16 in. diam. bears N 79 E 207 lbs. dist. 8

a Do 15 " " " N 57 E 231 " "

54.00 leave Prairie

56.96 a Hickory 12 in. dia.

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a P. Oak 30 in. diam. bears West 29 lbs. dist. 8

a Hickory 8 " " " S 40 E 75 " "

Sand rolling & 2. rate, timber W & B. Oak,  
Hickory & Upr. Hazel, B. Ash, Hickory,  
grubs &c.

East on Random between Sect. 23 & 26

40.00 set temp. g. sec. post

79.46 Intercept N. & S. line 60 lbs. N. of post —

Sand level 2. rate, timber W & B. Oak,  
Hickory & Upr. Hazel, B. Ash, Hickory,  
grubs &c.

West Corrected between Sect. 23 & 26

39.73 set g. sec. post at aver. dist. from which

a P. Oak 30 in. diam. bears N 20 E 118 lbs. dist. 8

S. 22 N., R. 4 W. 2. Mer. Ind. &  
Chs. Lhs.

a W. Oak 15 in. diam. S 9 W 157 W. dist.  
79.46 to sec. cen.

---

North between Secs. 22 & 23

7.54 a Hickory 12 in. dia.

21.50 enter a Prairie

22.00 " Swamp

32.00 leave "

40.00 set of sec. post & raised a Mound

58.00 enter timbered land

58.65 a B. Oak 11 in. dia.

80.00 set post cen. of sec. 14, 15, 22 & 23 from which

a B. Oak 36 in. diam. S 34 E 108 W. dist. is

a Do 24 " " " S 37 W 24 " "

Land rolling 3. rate, timber B & R. Oak, Hick-  
ory & Upr. Hazel &c.

---

East on Random between Secs. 14 & 23

14.50 enter Prairie

40.00 set temp. of sec. post

79.20 Intersect N. & S. line 68 W. N. of post -

Land rolling 2. rate

---

West Connected between Secs. 14 & 23

39.60 set of sec. post at aver. dist. & raised Mound

79.20 to Sec. cen.

---

North between Secs. 14 & 15

32.00 a Spring 100 W. E. of the line course N E.

35.16 a R. Oak 24 in. dia.

40.00 set of sec. post from which

a R. Oak 36 in. diam. S 64 E 24 W. dist. is

a Beech 24 " " " N 50 W 14 " "

69.00 enter Prairie

80.00 set post cen. of sec. 10, 11, 14 & 15 & raised a Mound

Land level 2. rate, timber R. W & B. Oak, Hickory

T. 22 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Chr. Ltr.  
 V. Upr. Hazel V.

East on Random between Sec. 11 & 14  
 40.00 Set temp. gr. Sec. post  
 79.46 Intersected N & S line 85 M. N. of post  
 Land level 2<sup>d</sup> rate

West Corrected Between Sec. 11 & 14  
 39.73 Set gr. Sec. post raised Mound  
 79.46 Sec. Cor.

North Between Sec. 10 & 11  
 40.00 Set gr. Sec. post raised Mound  
 42.00 Timber Land  
 73.22 on R. Oak 12 in. dia.  
 80.00 Set post cor. to Sec. 2, 3, 10, 11 from which  
 " R. Oak 24 in. dia. bears N 34 E 87 M. dir. &  
 " Do 24 " " " S 13 E 230 " "  
 Land level 2<sup>d</sup> rate

East on Random Between Sec. 2 & 11  
 15.75 Enter prairie  
 40.00 Set temp gr. Sec. post  
 58.00 Timber Land  
 79.33 Intersected N & S line 80 M. N. of post  
 Land rolling 2<sup>d</sup> rate

West Corrected Between Sec. 2 & 11  
 39.66 Set post at aver dist raised Mound  
 79.33 Sec. Cor.

4  
 12  
 North Between Sec. 2 & 3  
 11.31 on W. Oak 24 in. dia.  
 35.00 Enter prairie  
 40.00 Set gr. Sec. post raised Mound  
 60.00 Leave prairie



T. 22 N., R. 4 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>M<sup>o</sup>. Shs

74.36 Intersected N. Boundary 119 Shs. W. of post  
 Set post cor. to Sec. 2 & 3 from which  
 a W. Oak 30 in. dia. bears N 23 W 122 Shs. dist. &  
 a R. Oak 24 " " " N 87 W 81 " "  
 Land level 2<sup>d</sup> rate timber W. R. Oak Hickory  
 Mgr. Hayel & Co May 30<sup>th</sup> 1822

---

North Between Sec. 33 &amp; 34

30.00 Leave prairie

40.00 Set gr. Sec. post from which

a W. Oak 36 in. dia. bears S 26 E 53 Shs. dist. &amp;

Do 28 " " " S 48 W 38 " "

42.65 a B. Oak 18 " "

80.00 Set post cor. to Sec. 27, 28, 33, 34 from which

a R. Oak 36 in. dia. bears S 84 E 95 Shs. dist. &amp;

an Elm 18 " " " N 51 W 45 " "

Land level 2<sup>d</sup> rate timber W & R. Oak M. Oak  
 Mgr. Sappapas & Co

---

East on Random Between Sec. 27 &amp; 34

40.00 Set temp. gr. Sec. post

77.00 Wild cat creek 35 Shs. wide course of. W

79.47 Intersected N &amp; S. Line 9 Shs. S. of post

Land Rolling 2<sup>d</sup> rate timber as before

West Corrected Between Sec. 27 &amp; 34

39.73 Set gr. Sec. post at aver. dist. from which

a B. Oak 18 in. dia. bears S 66 W 41 Shs. dist. &amp;

Do 10 " " " N 83 E 17 " "

79.47 Sec. Cor.

North Between Sec. 27 &amp; 28

5.97 a Red Oak 36 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 20 in. dia. bears S 35 E 3.27 Shs. dist. &amp;

Do 18 " " " N 26 E 465 " "

Sho. Sta.

- 46.48 a W. Oak 15 in. dia.  
 56.50 Enter prairie  
 60.00 Enter Marsh  
 80.00 Set post cor. to Sec. 21. 22. 27. 28 from which  
 a W. Oak 30 in. dia. bears N 70 E 25.9 lbs. dist.  
 Do 24 " " " S 78 E 22.7 " "  
 Land and timber same as the other
- 

East on Random Between Sec. 22 &amp; 27

- 0.50 Leave Marsh  
 12.00 Leave prairie  
 24.00 Enter a prairie  
 29.50 Wild Cat creek 40 lbs. wide course N-  
 40.00 Set temp. gr. Sec. post  
 55.00 Leave prairie  
 79.44 Intersected N & S line 12 lbs. S. of post  
 Land level 2 rate W. Oak Hickory B. Oak
- 

West Corrected Between Sec. 22 &amp; 27

- 39.72 Set gr. Sec. post at aver. dist. from which  
 a B. Oak 12 in. dia. bears S 9 W 27.2 lbs. dist.  
 (No other tree)  
 79.44 Sec. Cor.
- 

North Between Sec. 21 &amp; 22

- 2.00 Leave Marsh  
 8.00 Leave prairie  
 25.57 a W. Oak 20 in. dia.  
 40.00 Set gr. Sec. post from which  
 a W. Oak 24 in. dia. bears S 65 W 110 lbs. dist. &  
 Hickory 20 " " " N 11 W 75 " "  
 57.30 a W. Oak 15 " "  
 61.50 Wild cat creek 40 lbs. wide course N. W.  
 80.00 Set post cor. to Sec. 15. 16. 21. 22 from which  
 a B. Oak 12 in. dia. bears N 40 W 69 lbs. dist. &  
 Hickory 10 " " " S 35 E 4 " "

T. 22. N., R. 4 W. 2. Mer. Ind.<sup>a</sup>

Elm. Shs

Land rolling 3<sup>d</sup> rate timber W. Oak B. Oak  
Hickory Ugr. B. Oak Hickory &c

East on Random Between Sec. 15 & 22

30.00 Enter prairie

40.00 Set temp. gr. Sec. post

70.00 Leave prairie

79.30 Intersected N & S line 8 lks. S. of post  
Land level 2<sup>d</sup> rate

West Corrected Between Sec. 15 & 22

39.65 Set gr. Sec. post raised mound at aver. dist.

" W. Oak 18 in. dia. bears N 76 W 83 lks. dist. &c  
(No other trees)

79.30 Sec. Cor.

North Between Sec. 15 & 16

40.00 Set gr. Sec. post from which

" R. Oak 30 in. dia. bears N 48 E 15 lks. dist. &c

" Elm 8 " " " S 35 W 10 " "

58.77 " Lynn 20 " "

80.00 Set post cor. to Sec. 9. 10. 15. 16 from which

" Red Oak 30 in. dia. bears N 76 W 74 lks. dist. &c

" Do 30 " " " S 13 E 53

Land rolling 2<sup>d</sup> rate timber R. Oak W. Oak  
Hickory Lynn Ugr. Hay &c

East on Random Between Sec. 10 & 15

40.00 Set temp. gr. Sec. post

47.00 Enter prairie

78.88 Intersected N & S Line 38 lks. N. of post  
Land same as before

West Corrected Between Sec. 10 & 15

39.44 Set gr. Sec. post at aver. dist from which

" Red Oak 48 in. dia. bears West 14 lks. dist. &c

T. 22 N., R. 4 W. 2. Mer. Ind. 411

Am. Shs.

a W. Oak 30 in. dia. bears S 74 W 103 lbs. dist  
78.88 Sec. Cor.

North Between Secs. 9 & 10

9.56 Enter prairie  
35.00 Leave "  
40.00 Set gr. Sec. post from which  
a Cherry 7 in. dia. bears N 74 E 22 lbs. dist. &  
a Hickory 6 " " " S 76 W 16 " "  
45.50 Enter prairie  
68.50 Timber Land  
75.48 a B. Walnut 10 in. dia.  
80.00 Set post cor. to Secs. 3, 4, 9, 10 from which  
a Hickory 5 in. dia. bears S 40 E 22 lbs. dist. &  
Do 8 " " " N 71 W 24 " "  
Land rolling first half mile 3<sup>rd</sup> rate prairie  
rest 2<sup>nd</sup> half mile 2<sup>nd</sup> rate prairie dry

East on Random Between Secs. 3 & 10

1.50 Enter prairie  
40.00 Set temp gr. Sec. post  
78.81 Intersected N & S. line 6 lbs. S. of post  
Land level 2<sup>nd</sup> rate

West Corrected Between Secs. 3 & 10

39.40 Set gr. Sec. post at aver. dist. raised mound.  
78.81 Sec. Cor.

North Between Secs. 3 & 4

1.00 Enter prairie  
6.50 Timber land  
20.80 a W. Oak 30 in. dia.  
25.00 Enter prairie  
40.00 Set gr. Sec. post raised mound  
74.84 Intersected N. Boundary 30 lbs. W. of post  
Raised mound cor. to Sec. 3 & 4

T. 22 N., R. 4 W. 2. Mer. Ind. <sup>a</sup>

Mps. Lks.

Land level 2<sup>nd</sup> rate May 31<sup>st</sup> 1822

North Between Secs. 32 &amp; 33

40.00 Set gr. Sec. post raised mound

46.00 Leave prairie

63.48 a B. Oak 18 in. dia.

80.00 Set post cor. to Secs. 28. 29. 32. 33 from which

a B. Oak 33 in. dia. bears N 71 E 20 lks. dist. &amp;

a W. Oak 28 " " " N 69 W 28 " "

Land rolling 2<sup>nd</sup> rate timber B. R. W. Oak Hickory

Mgo. Hay &amp;c

East on Random Between Secs. 28 &amp; 33

40.00 Set temp. gr. Sec. post

79.35 Intersected N &amp; S line 33 E. of post

Land and timber same as the other

West Corrected Between Secs. 28 &amp; 33

39.67 Set gr. Sec. post at av. dist. from which

a B. Oak 40 in. dia. bears N 66 W 55 lks. dist. &amp;

Do 20 " " " S 5 E 50 " "

79.35 Sec. Cor.

North Between Secs. 28 &amp; 29

18.00 Enter Marsh

30.00 Leave "

31.98 a Hickory 10 in. dia.

36.00 Enter Marsh

40.00 Set gr. Sec. post from which

a Hickory 20 in. dia. bears S 18 W - lks. dist. &amp;

a Do 9 S 36 W - " "

47.00 Leave Marsh

52.71 a W. Oak 30 in. dia.

55.00 Enter prairie

56.50 Enter Marsh

72.00 Leave "



## T. 22 N., R. 4 W., T. 2. Mer. Ind. a.

Mr. Lho.

- 80.00 Set post cor. to Sec. 20, 21, 28, 29 from which  
 " Blk. Oak 30 in. dia. bears N 70 E 44 3 lbs. dist. &  
 " Do 15 " " " N 44 W 310 " "  
 Land level 3' rate timber B. W. Oak Hickory &c

## East on Random Between Sec. 21 &amp; 28

- 31.00 Leave prairie  
 40.00 Set temp. gr. Sec. post  
 62.00 Enter prairie  
 65.00 Enter marsh  
 79.20 Intersected N. S. line 13 lbs. N. of post  
 Land level 3' rate B. & W. Oak Hickory &c Ugr.  
 Hickory Blk. Oak &c

## West Corrected Between Sec. 21 &amp; 28

- 39.60 Set gr. Sec. post at aver. dist. from which  
 " W. Oak — in. dia. bears N 30 E 70 lbs. dist. &  
 " Hickory 10 " " " S 77 E 19 " "  
 79.20 Sec. Cor.

## North Between Sec. 20 &amp; 21

- 2.00 Leave prairie  
 18.00 Enter "  
 40.00 Set gr. Sec. post raised Mound  
 56.00 Leave prairie  
 57.93 " W. Oak 28 in. dia.  
 80.00 Set post cor. to Sec. 16, 17, 20, 21 from which  
 " W. Oak 30 in. dia. bears N 31 E 75 lbs. dist. &  
 " Lynn 24 " " " S 36 W 60 " "  
 Land level 2' rate timber same as the other

## East on Random Between Sec. 16 &amp; 21

- 32.00 " Creek 35 lbs. wide course N. W. Rapid  
 40.00 Set temp. gr. Sec. post  
 79.23 Intersected N. S. line 39 lbs. N. of post  
 Land rolling 3' rate tim. Oak Hickory Ugr. Hays Hick.

T. 22 N., R. 4 W. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Shs.

West Corrected Between Secs. 16 &amp; 21

39.61 Set gr. Sec. post at aver. dist. from which  
a Bur Oak 24 in. dia. bears S 58 E 395 lks. dist. &

79.23 Sec. Cor.

North Between Secs. 16 &amp; 17

5.80 a W. Oak 15 in. dia.

6.40 Wild Cat creek 40 lks. wide course West

40.00 Set gr. Sec. post from which

a W. Oak 30 in. dia. bears N 64 E 75 lks. dist. &amp;

a Do 30 " " " N 66 W 67 " "

58.40 a Do 24 " "

74.96 a Hickory 12 " "

80.00 Set post cor. to Secs. 8, 9, 16, 17 from which

a Hickory 28 in. dia. bears S 15 E 60 lks. dist. &amp;

Do 18 " " " N 8 E 64 " "

Land first half mile rolling 2<sup>d</sup> route 2<sup>1</sup>/<sub>2</sub> half m.Level timber Oak hickory B. Oak 2<sup>d</sup> route

East on Random Between Secs. 9 &amp; 16

40.00 Set temp. gr. Sec. post

79.05 Intersected N &amp; S line 16 lks. N. of post

Land level 2<sup>d</sup> route timber R & W Oak Hick-  
ory & Agr. Hay &c &c

West Corrected Between Secs. 9 &amp; 16

39.52 Set gr. Sec. post at aver. dist. from which

a W. Oak 30 in. dia. bears N 29 E 374 lks. dist. &amp;

Do 12 " " " N 79 W 537 " "

79.05 Sec. Cor.

North Between Secs. 8 &amp; 9

18.00 Enter a small point of wet prairie

28.00 Leave " " " "

36.25 a Blk. Oak 24 in. dia.

40.00 Set gr. Sec. post from which

T. 22 N., R. 4 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Chs. 2<sup>nd</sup>

a Hickory 15 in. dia. bears S 41 E 80 lks. dist. &  
 " Do 18 " " " N 31 W 22 7 " "  
 65.50 " W. Oak 20 " "  
 80.00 Set post cor. to Sec. 4, 5, 8, 9 from which  
 a W. Oak 30 in. dia. bears N 31 E 13 lks. dist. &  
 Do 22 " " " S 7 E 25 " "  
 Land level 3<sup>rd</sup> rate timber W. Oak B. Oak  
 Hickory &c

---

East on Random Between Sec. 4 &amp; 9

40.00 Set temp. gr. Sec. post  
 79.13 Intersected N & S. Line 19 lks. N. of post  
 Land and timber same as before

---

West Corrected Between Sec. 4 &amp; 9

39.57 Set gr. Sec. post at aver. dist from which  
 a W. Oak 18 in. dia. bears S 59 E 68 lks. dist. &  
 Do 16 " " " N 16 E 102 " "  
 79.15 Sec. Cor.

---

North Between Sec. 4 &amp; 5

22.84 a Red Oak 30 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Hickory 20 in. dia. bears S 25 W 32 lks. dist. &  
 " Do 15 " " " N 26 E 4 " "  
 74.67 Intersected N. Boundary 30 lks. E. of post  
 Set post cor. to Sec. 4 & 5 from which  
 a W. Oak 48 in. dia. bears S 54 W 45 lks. dist. &  
 Do 20 " " " S 84 E 62 " "  
 Land level including the net 3<sup>rd</sup> rate timber  
 R & W. Oak Hickory &c June 1<sup>st</sup> 1822

---

North Between Sec. 31 &amp; 32

21.00 Leave prairie  
 22.87 a Elm 8 in. dia.  
 27.60 a Brook 8 lks. wide course N. W.

T. 22 N., R. 4 W., L. Mer. Ind.<sup>a</sup>

Cm. Sta

- 40.00 Set gr. Sec. post from which  
 a Red Oak 18 in. dia. leans N 31 E 229 lks. dist. x  
 an Aspen 8 " " " N 73 E 264 " "
- 64.45 a W. Oak 30 in. dia. !
- 75.50 a Brook 10 lks. wide course N. E
- 79.40 a Do 10 " " " N. W.
- 80.00 Set post cor. to Sec. 29. 30. 31. 32 from which  
 a Willow 15 in. dia. leans N 15 E 33 lks. dist. x  
 Do 10 " " " N 36 E 121 " "
- Land rolling 3 rate timber W. B. Oak. Oak  
 Hickory &c

## East on Random Between Sec. 29 &amp; 32

- 40.00 Set temp. gr. Sec. post
- 40.50 Enter prairie
- 53.00 Leave "
- 79.66 Intersected on S. line 5 lks. E. of post  
 Land level 2 rate timber same as before

## West Corrected Between Sec. 29 &amp; 32

- 39.83 Set gr. Sec. post at aver. dist. from which  
 a B. Oak 24 in. dia. leans N 18 W 48 lks. dist. x  
 a Elm 10 " " " N 4 E 84 " "
- 79.66 Sec. Cor.

## West Between Sec. 30 &amp; 31

- 0.50 a Brook 10 lks. wide. course N. E.
- 9.76 a B. Oak 24 in. dia.
- 40.00 Set gr. Sec. post from which  
 a W. Oak 30 in. dia. leans N 7 W 44 lks. dist. x  
 a Hickory 18 " " " N 15 W 31 " "
- 42.52 a Do 20 " "
- 62.00 Enter prairie
- 81.85 Intersected W. Boundary 27 lks. N. of post  
 Land rolling 2 rate timber W. Oak Oak  
 Hickory Algs. Hazel &c

Mm. 4th

## North Between Sec. 29 &amp; 30

- 1.15 a Brook 12 lbs. wide course N.E.  
 6.33 a W. Oak 30 in. dia.  
 15.00 a Brook 10 lbs. wide course N.W.  
 22.00 a Do 10 " " " N.E.  
 40.00 Set gr. Sec. post from which  
     a Red Oak 30 in. dia. leans S 16 W 159 lbs. dist. &  
     a B. Oak 36 " " " N 14 W 210 " "  
 55.50 a Brook 12 lbs. wide course N.W.  
 80.00 Set post cor. to Sec. 19. 20. 29. 30 from which  
     a Blk. Oak 12 in. dia. leans S 37 E 76 lbs. dist. &  
     a Do 15 " " " N 33 1/2 W 150 " "  
 Land level 3' rate timber W. R & B. Oak Hickory  
 Hazle Sapugas &c

## East on Random Between Sec. 20 &amp; 29

- 38.00 Enter prairie  
 40.00 Set temp. gr. Sec. post  
 41.00 Enter Marsh  
 60.00 Leave "  
 79.54 Intersected N & L line 39 lbs. N. of post  
 Land level 3' rate timber same as before

## West Corrected Between Sec. 20 &amp; 29

- 39.77 Set gr. Sec. post at aver. dist from which  
     a W. Oak 24 in. dia. leans S 43 W 213 lbs. dist. &  
     a Do 30 " " " N 84 1/2 W 339 " "  
 79.54 Sec. Cor.

## West Between Sec. 19 &amp; 30

- 22.50 a Brook 12 lbs. wide course — South  
 40.00 Set gr. Sec. post from which  
     a B. Oak 24 in. dia. leans S 22 E 81 lbs. dist. &  
     a Hickory 15 " " " N 80 W 64 " "  
 44.50 Enter prairie  
 81.85 Intersected W. Boundary 25 lbs. N. of post



## T. 22 N., R. 4 W. 2. Mer. Ind. a

Chm. Sho.

Set post cor. to Sec. 19 & 30 raised mound  
Land level 2<sup>d</sup> rate

North Between Sec. 19 &amp; 20

14.00 Enter prairie

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 17, 18, 19, 20. raised mound  
Land level 2<sup>d</sup> rate

East on Radom Between Sec. 17 &amp; 20

9.50 Enter timber land

40.00 Set temp. gr. Sec. post

79.40 Intersected N & S line 39 Shad. of post  
Land rolling 3<sup>d</sup> rate timber W & B. Oak (Ugr  
Hazel & Sapasus &c.

West Corrected Between Sec. 17 &amp; 20

39.70 Set gr. Sec. post at aver. dist. from which  
" W. Oak 18 in. dia. bears S 41 E 61 Sh. dist. &  
" B. Oak 20 " " " S 35 W 15 " "

79.40 Sec. Cor.

West Between Sec. 18 &amp; 19

40.00 Set gr. Sec. post in prairie from which

" B. Walnut 18 in. dia. bears N 73 W 34 3 Sh. dist. &amp;

Do 6 " " " S 64 W 32 6 " "

42.80 Leave prairie

47.70 an B. Oak 33 in. dia.

72.00 a Brook 14 Sh. wide course N. W.

81.50 Intersected W. Boundary 14 Sh. N. of post

Set post cor. to Sec. 18 &amp; 19 from which

" B. Oak 30 in. dia. bears S 48 E 63 Sh. dist. &amp;

" W. Oak 15 " " " N 43 W 15 2 " "

Land rolling 2<sup>d</sup> rate timber W, B & B OakJune 2<sup>d</sup> 1822

## T. 22 N., R. 4 W. 2. Mer. Ind. "

Obs. Shs

North Between Secs. 17 &amp; 18

11.00 Leave prairie

38.82 a W. Oak 20 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 15 in. dia. bears N 32 E 26 lks. dist. &amp;

a Do 20 " " " " 963 W 38 " "

41.10 a Do 15 " "

80.00 Set post cor. to Secs. 7, 8, 17, 18 from which

a B. Oak 15 in. dia. bears 941 E 137 lks. dist. &amp;

a W. Oak 15 " " " 984 E 390 " "

Land rolling 2 rate B. W. Oak Hickory &c Upr.  
Hayle &c

East on Random Between Secs. 88 &amp; 17

9.40 a Creek 40 lks. wide course N. W.

14.00 Enter prairie

40.00 Set temp. gr. Sec. post

41.00 Leave prairie

79.00 Intersected N. E. line 40 lks. N. of post

Land and timber same as before

West Connected Between Secs. 88 &amp; 17

39.50 Set gr. Sec. post at aver. dist. from which

a Hickory 15 in. dia. bears N 69 1/2 E 115 lks. dist. &amp;

a Do 18 " " " 982 E 119 " "

79.00 Sec. Cor.

West Between Secs. 78 &amp; 18

14.63 a W. Oak 18 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 30 in. dia. bears N 24 E 46 lks. dist. &amp;

a Do 12 " " " 958 E 66 " "

44.33 a Do 14 " "

81.07 Intersected W. Boundary 81 lks. N. of post

Set post cor. to Secs. 78 &amp; 18 from which

a Hickory 8 in. dia. bears N 50 E 13 lks. dist. &amp;

T. 22 N., R. 4 W., 2. Mer. Ind. &  
Ch. Shs.

a Hickory 12 in. dia. bears N 82 W 16 lbs. dist. &  
Land 1<sup>st</sup> 1/4 mile rolling 2<sup>nd</sup> rate last 1/4 m  
3<sup>rd</sup> rate timber W & B. Oak Hickory & Agr & c  
Sassafras

North Between Sec. 7 & 8

4.15 a creek 35 lbs. wide course W.

5.50 Enter prairie

26.00 Timber land

26.78 a B. Oak 14 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 9 in. dia. bears N 10 W 45 lbs. dist. &

Do 8 " " " S 15 E 17 " "

61.00 a Brook 5 lbs. wide course W.

80.00 Set post evr. to sec. 5, 6, 7, 8 from which

a W. Oak 30 in. dia. bears S 27 W 105 lbs. dist. &

a Hickory 15 " " " N 51 E 136 " "

Land level 3<sup>rd</sup> rate timber W & B. Oak Hickory & c

East on Random Between Sec. 5 & 8

40.00 Set temp. gr. Sec. post

79.10 Intersected N & S. line 85 lbs. et. of post  
Land and timber Same as the other

West Connected Between Sec. 5 & 8

39.55 Set gr. Sec. post at aver. dist. from which

a B. Oak 33 in. dia. bears N 61 W 140 lbs. dist. &

a R. Oak 30 " " " N 88 W 168 " "

79.10 Sec. Cor.

West Between Sec. 6 & 7

18.34 a W. Oak 12 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 18 in. dia. bears N 35 E 90 lbs. dist. &

Do 8 " " " S 16 E 7 " "

65.00 Enter prairie

T. 22 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>

Chs. Lhs

80.47 Intersected W. Boundary 59 lks. E. of post  
 Set post cor. to Secs. 6 & 7 from which  
 a W. Oak 15 in. dia. bears S 43½ E 187 lks. dist. &  
 a Do 28 " " " S 74 E 327 " "  
 Land rolling 3<sup>d</sup> rate timber W. B. Oak Hickory &c

North Between Secs. 5 & 6

5.71 a W. Oak 24 in. dia.  
 40.00 Set gr. Sec. post from which  
 a W. Oak 33 in. dia. bears N 10 E 23 lks. dist. &  
 a Do 36 " " " S 45 W 22 " "  
 58.26 a Do 20 " "  
 73.24 Intersected N. Boundary 72 lks. E. of post  
 Set post cor. to Secs. 5 & 6 from which  
 a W. Oak 33 in. dia. bears S 31 W 123 lks. dist. &  
 a R. Oak 24 " " " N 87 E 21 " "  
 Land level 3<sup>d</sup> rate timber W. R & R. Oak Hick.  
 Ugr. Hickory R. Oak &c June 3<sup>d</sup> 1822  
 Surveyed by B. Bentley  
 Dep. Surveyor.

I certify that the foregoing transcript of  
 field notes of the survey of Township N. 22 North  
 in Range N. 4 West of the 2<sup>d</sup> Principal Meridian  
 in the State of Indiana, has been compared with  
 the original on file in this office, and found to  
 be correct.

Surveyor General's Office,  
 Cincinnati, Nov. 7. 1842

William Johnston  
 Sec. Genl.